

VOLKSWAGEN

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL	KIT CODE	NOTE
AMAROK 01/2011→ (Type 2H) PCD 5 / 120 - Hub Ø65 – Screw M14 x 1.5 19 HEX								
* Only standard versione 800 Kg.	505*	8.0 x 18	45	5 / 120	65.1	505 808 016	Original	
	505*	8.5 x 19	43	5 / 120	65.1	505 859 017	Original	
	389	9.5 x 20	40	5 / 120	74.1	389 950 002	035 457 B65	
	503	9.0 x 20	40	5 / 120	74.1	503 900 005	035 457 B65	
	503	9.0 x 20	40	5 / 120	65.1	503 900 013	Original	
	509	9.0 x 20	42	5 / 120	74.1	509 900 004	035 457 B65	
	509	9.0 x 20	40	5 / 120	65.1	509 900 008	Original	
	503	9.0 x 22	40	5 / 120	74.1	503 902 006	035 457 B65	
	503	10.0 x 22	40	5 / 120	74.1	503 102 005	035 457 B65	
	509	10.0 x 22	40	5 / 120	74.1	509 102 002	035 457 B65	
BEETLE 01/1998→ (Type 9C) PCD 5 / 100 - Hub Ø57 – Screw M14 x 1.5 17 HEX								
	501	8.0 x 18	32	5 / 100	C.R.	501 808 007	035 457 571	
	505	8.0 x 18	32	5 / 100	C.R.	505 808 007	035 457 571	
BEETLE CABRIO 09/2002→ (Type 1Y) PCD 5 / 100 - Hub Ø57 – Screw M14 x 1.5 17 HEX								
	501	8.0 x 18	32	5 / 100	C.R.	501 808 007	035 457 571	
	505	8.0 x 18	32	5 / 100	C.R.	505 808 007	035 457 571	
EOS 09/2005→ (Type 1F) PCD 5 / 112 - Hub Ø57 – Screw M14 x 1.5 17 HEX								
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 571	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 571	
	521	8.0 x 18	40	5 / 112	C.R.	521 808 002	035 457 571	
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 571	
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 571	
	521	8.5 x 19	40	5 / 112	C.R.	521 859 002	035 457 571	
	365	9.0 x 20	40	5 / 112	C.R.	365 900 002	065 457 571	
	501	8.5 x 20	40	5 / 112	C.R.	501 850 002	035 457 571	
	505	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 571	
	521	8.5 x 20	40	5 / 112	C.R.	521 850 002	035 457 571	
FOX 03/2005→ (Type 5Z) PCD 5 / 100 - Hub Ø57 – Screw M14 x 1.5 17 HEX								
	501	8.0 x 18	32	5 / 100	C.R.	501 808 007	035 457 571	
	505	8.0 x 18	32	5 / 100	C.R.	505 808 007	035 457 571	
GOLF PLUS 12/2004→ (Type 1KP) PCD 5 / 112 - Hub Ø57 – Screw M14 x 1.5 17 HEX								
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 571	More aggressive
	501	8.0 x 18	48	5 / 112	C.R.	501 808 003	035 457 571	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 571	More aggressive
	505	8.0 x 18	48	5 / 112	C.R.	505 808 003	035 457 571	
	521	8.0 x 18	40	5 / 112	C.R.	521 808 002	035 457 571	More aggressive
	521	8.0 x 18	48	5 / 112	C.R.	521 808 003	035 457 571	
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 571	More aggressive
	501	8.5 x 19	48	5 / 112	C.R.	501 859 003	035 457 571	
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 571	More aggressive
	505	8.5 x 19	48	5 / 112	C.R.	505 859 003	035 457 571	
	521	8.5 x 19	40	5 / 112	C.R.	521 859 002	035 457 571	More aggressive
	521	8.5 x 19	48	5 / 112	C.R.	521 859 003	035 457 571	
	501	8.5 x 20	40	5 / 112	C.R.	501 850 002	035 457 571	
	505	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 571	
	521	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 571	

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

VOLKSWAGEN

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL	KIT CODE	NOTE
GOLF 5 09/2003→09/2008 (Type 1K) PCD 5 / 112 - Hub Ø57 – Screw M14 x 1.5 17 HEX								
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 571	More aggressive
	501	8.0 x 18	48	5 / 112	C.R.	501 808 003	035 457 571	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 571	More aggressive
	505	8.0 x 18	48	5 / 112	C.R.	505 808 003	035 457 571	
	521	8.0 x 18	40	5 / 112	C.R.	521 808 002	035 457 571	More aggressive
	521	8.0 x 18	48	5 / 112	C.R.	521 808 003	035 457 571	
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 571	More aggressive
	501	8.5 x 19	48	5 / 112	C.R.	501 859 003	035 457 571	
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 571	More aggressive
	505	8.5 x 19	48	5 / 112	C.R.	505 859 003	035 457 571	
	521	8.5 x 19	40	5 / 112	C.R.	521 859 002	035 457 571	More aggressive
	521	8.5 x 19	48	5 / 112	C.R.	521 859 003	035 457 571	
	501	8.5 x 20	40	5 / 112	C.R.	501 850 002	035 457 571	
	505	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 571	
	521	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 571	
GOLF 5 GTI 09/2004→09/2008 (Type 1K) PCD 5 / 112 - Hub Ø57 – Screw M14 x 1.5 17 HEX								
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 571	More aggressive
	501	8.0 x 18	48	5 / 112	C.R.	501 808 003	035 457 571	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 571	More aggressive
	505	8.0 x 18	48	5 / 112	C.R.	505 808 003	035 457 571	
	521	8.0 x 18	40	5 / 112	C.R.	521 808 002	035 457 571	More aggressive
	521	8.0 x 18	48	5 / 112	C.R.	521 808 003	035 457 571	
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 571	More aggressive
	501	8.5 x 19	48	5 / 112	C.R.	501 859 003	035 457 571	
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 571	More aggressive
	505	8.5 x 19	48	5 / 112	C.R.	505 859 003	035 457 571	
	521	8.5 x 19	40	5 / 112	C.R.	521 859 002	035 457 571	More aggressive
	521	8.5 x 19	48	5 / 112	C.R.	521 859 003	035 457 571	
	501	8.5 x 20	40	5 / 112	C.R.	501 850 002	035 457 571	
	505	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 571	
	521	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 571	
GOLF 5 R32 09/2005→09/2008 (Type 1K) PCD 5 / 112 - Hub Ø57 – Screw M14 x 1.5 17 HEX								
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 571	More aggressive
	501	8.0 x 18	48	5 / 112	C.R.	501 808 003	035 457 571	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 571	More aggressive
	505	8.0 x 18	48	5 / 112	C.R.	505 808 003	035 457 571	
	521	8.0 x 18	40	5 / 112	C.R.	521 808 002	035 457 571	More aggressive
	521	8.0 x 18	48	5 / 112	C.R.	521 808 003	035 457 571	
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 571	More aggressive
	501	8.5 x 19	48	5 / 112	C.R.	501 859 003	035 457 571	
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 571	More aggressive
	505	8.5 x 19	48	5 / 112	C.R.	505 859 003	035 457 571	
	521	8.5 x 19	40	5 / 112	C.R.	521 859 002	035 457 571	More aggressive
	521	8.5 x 19	48	5 / 112	C.R.	521 859 003	035 457 571	
	501	8.5 x 20	40	5 / 112	C.R.	501 850 002	035 457 571	
	505	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 571	
	521	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 571	

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

VOLKSWAGEN

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL	KIT CODE	NOTE
GOLF 6-7 09/2008→ PCD 5 / 112 - Hub Ø57 – Screw M14 x 1.5 17 HEX								
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 571	More aggressive
	501	8.0 x 18	48	5 / 112	C.R.	501 808 003	035 457 571	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 571	More aggressive
	505	8.0 x 18	48	5 / 112	C.R.	505 808 003	035 457 571	
	521	8.0 x 18	40	5 / 112	C.R.	521 808 002	035 457 571	More aggressive
	521	8.0 x 18	48	5 / 112	C.R.	521 808 003	035 457 571	
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 571	More aggressive
	501	8.5 x 19	48	5 / 112	C.R.	501 859 003	035 457 571	
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 571	More aggressive
	505	8.5 x 19	48	5 / 112	C.R.	505 859 003	035 457 571	
	521	8.5 x 19	40	5 / 112	C.R.	521 859 002	035 457 571	More aggressive
	521	8.5 x 19	48	5 / 112	C.R.	521 859 003	035 457 571	
	501	8.5 x 20	40	5 / 112	C.R.	501 850 002	035 457 571	
	505	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 571	
	521	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 571	
GOLF 6 R 09/2008→ (Type 1K) PCD 5 / 112 - Hub Ø57 – Screw M14 x 1.5 17 HEX								
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 571	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 571	
	521	8.0 x 18	40	5 / 112	C.R.	521 808 002	035 457 571	
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 571	
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 571	
	521	8.5 x 19	40	5 / 112	C.R.	521 859 002	035 457 571	
	501	8.5 x 20	40	5 / 112	C.R.	501 850 002	035 457 571	
	505	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 571	
	521	8.5 x 20	40	5 / 112	C.R.	521 850 002	035 457 571	
JETTA 01/2011→ (Type 16) PCD 5 / 112 - Hub Ø57 – Screw M14 x 1.5 17 HEX								
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 571	More aggressive
	501	8.0 x 18	48	5 / 112	C.R.	501 808 003	035 457 571	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 571	More aggressive
	505	8.0 x 18	48	5 / 112	C.R.	505 808 003	035 457 571	
	521	8.0 x 18	40	5 / 112	C.R.	521 808 002	035 457 571	More aggressive
	521	8.0 x 18	48	5 / 112	C.R.	521 808 003	035 457 571	
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 571	More aggressive
	501	8.5 x 19	48	5 / 112	C.R.	501 859 003	035 457 571	
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 571	More aggressive
	505	8.5 x 19	48	5 / 112	C.R.	505 859 003	035 457 571	
	521	8.5 x 19	40	5 / 112	C.R.	521 859 002	035 457 571	More aggressive
	521	8.5 x 19	48	5 / 112	C.R.	521 859 003	035 457 571	
	501	8.5 x 20	40	5 / 112	C.R.	501 850 002	035 457 571	
	505	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 571	
	521	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 571	
JETTA 09/2004→01/2011 (Type 1KM) PCD 5 / 112 - Hub Ø57 – Screw M14 x 1.5 17 HEX								
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 571	More aggressive
	501	8.0 x 18	48	5 / 112	C.R.	501 808 003	035 457 571	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 571	More aggressive
	505	8.0 x 18	48	5 / 112	C.R.	505 808 003	035 457 571	
	521	8.0 x 18	40	5 / 112	C.R.	521 808 002	035 457 571	More aggressive
	521	8.0 x 18	48	5 / 112	C.R.	521 808 003	035 457 571	
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 571	More aggressive
	501	8.5 x 19	48	5 / 112	C.R.	501 859 003	035 457 571	
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 571	More aggressive
	505	8.5 x 19	48	5 / 112	C.R.	505 859 003	035 457 571	
	521	8.5 x 19	40	5 / 112	C.R.	521 859 002	035 457 571	More aggressive
	521	8.5 x 19	48	5 / 112	C.R.	521 859 003	035 457 571	
	501	8.5 x 20	40	5 / 112	C.R.	501 850 002	035 457 571	
	505	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 571	
	521	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 571	

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

VOLKSWAGEN

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL	KIT CODE	NOTE
MULTIVAN T5 12/2009→ (Type 7J0) PCD 5 / 120 - Hub Ø65 – Screw M14 x 1.5 19 HEX								
	389	9.5 x 20	40	5 / 120	74.1	389 950 002	035 457 B65	
	503	9.0 x 20	40	5 / 120	65.1	503 900 013	035 457 000	
	509	9.0 x 20	40	5 / 120	65.1	509 900 008	035 457 000	
MULTIVAN T5 12/2002→12/2009 (Type 7HC/7HM) PCD 5 / 120 - Hub Ø65 – Screw M14 x 1.5 19 HEX								
	389	9.5 x 20	40	5 / 120	74.1	389 950 002	035 457 B65	
	503	9.0 x 20	40	5 / 120	65.1	503 900 013	035 457 000	
	509	9.0 x 20	40	5 / 120	65.1	509 900 008	035 457 000	
PASSAT 03/2005→ (Type 3C) PCD 5 / 112 - Hub Ø57 – Screw M14 x 1.5 17 HEX								
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 571	
	501	8.0 x 18	48	5 / 112	C.R.	501 808 003	035 457 571	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 571	
	505	8.0 x 18	48	5 / 112	C.R.	505 808 003	035 457 571	
	521	8.0 x 18	40	5 / 112	C.R.	521 808 002	035 457 571	
	521	8.0 x 18	48	5 / 112	C.R.	521 808 003	035 457 571	
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 571	
	501	9.5 x 19	40	5 / 112	C.R.	501 959 002	035 457 571	Rear Axle
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 571	
	505	9.5 x 19	40	5 / 112	C.R.	505 959 002	035 457 571	Rear Axle
	521	8.5 x 19	40	5 / 112	C.R.	521 859 002	035 457 571	
	501	8.5 x 20	40	5 / 112	C.R.	501 850 002	035 457 571	
	505	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 571	
	521	8.5 x 20	40	5 / 112	C.R.	521 850 002	035 457 571	
PASSAT CC 06/2008→ (Type 3CC) PCD 5 / 112 - Hub Ø57 – Screw M14 x 1.5 17 HEX								
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 571	
	501	8.0 x 18	48	5 / 112	C.R.	501 808 003	035 457 571	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 571	
	505	8.0 x 18	48	5 / 112	C.R.	505 808 003	035 457 571	
	521	8.0 x 18	40	5 / 112	C.R.	521 808 002	035 457 571	
	521	8.0 x 18	48	5 / 112	C.R.	521 808 003	035 457 571	
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 571	
	501	9.5 x 19	40	5 / 112	C.R.	501 959 002	035 457 571	Rear Axle
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 571	
	505	9.5 x 19	40	5 / 112	C.R.	505 959 002	035 457 571	Rear Axle
	521	8.5 x 19	40	5 / 112	C.R.	521 859 002	035 457 571	
	501	8.5 x 20	40	5 / 112	C.R.	501 850 002	035 457 571	
	505	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 571	
	521	8.5 x 20	40	5 / 112	C.R.	521 850 002	035 457 571	

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

VOLKSWAGEN

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL	KIT CODE	NOTE
PHAETON* 03/2002 → (Type 3D) PCD 5 / 112 - Hub Ø57 – Screw M14 x 1.5 17 HEX								
	501	8.0 x 18	30	5 / 112	C.R.	501 808 001	035 457 571	
	501	9.5 x 18	30	5 / 112	C.R.	501 958 001	035 457 571	Rear Axle
	505	8.0 x 18	30	5 / 112	C.R.	505 808 001	035 457 571	
	505	9.0 x 18	30	5 / 112	C.R.	505 908 001	035 457 571	Rear Axle
	521	8.0 x 18	30	5 / 112	C.R.	521 808 001	035 457 571	
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 571	
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	035 457 571	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 571	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	035 457 571	Rear Axle
	521	8.5 x 19	30	5 / 112	C.R.	521 859 001	035 457 571	
	365	9.0 x 20	40	5 / 112	C.R.	365 900 002	065 457 571	
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 571	
	501	8.5 x 20	30	5 / 112	C.R.	501 850 001	035 457 571	
	501	8.5 x 20	40	5 / 112	C.R.	501 850 002	035 457 571	
	503	9.0 x 20	30	5 / 112	C.R.	503 900 001	065 457 571	
	503	9.0 x 20	40	5 / 112	C.R.	503 900 002	065 457 571	
	505	8.5 x 20	30	5 / 112	C.R.	505 850 001	035 457 571	
	505	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 571	
	509	9.0 x 20	35	5 / 112	C.R.	509 900 001	035 457 571	
	521	8.5 x 20	30	5 / 112	C.R.	521 850 001	035 457 571	
	521	8.5 x 20	40	5 / 112	C.R.	521 850 002	035 457 571	
PHAETON V10 TDI 03/2002 → (Type 3D) PCD 5 / 112 - Hub Ø57 – Screw M14 x 1.5 17 HEX								
	365	9.0 x 20	40	5 / 112	C.R.	365 900 002	065 457 571	
	503	9.0 x 20	40	5 / 112	C.R.	503 900 002	065 457 571	
	509	9.0 x 20	35	5 / 112	C.R.	509 900 001	065 457 571	
PHAETON 6.0 W12 03/2002 → (Type 3D) PCD 5 / 112 - Hub Ø57 – Screw M14 x 1.5 17 HEX								
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 571	
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 571	
	521	8.5 x 19	30	5 / 112	C.R.	521 859 001	035 457 571	
	365	9.0 x 20	40	5 / 112	C.R.	365 900 002	065 457 571	
	503	9.0 x 20	40	5 / 112	C.R.	503 900 002	065 457 571	
	509	9.0 x 20	35	5 / 112	C.R.	509 900 001	065 457 571	
POLO 10/2009 → (Type 6R) PCD 5 / 100 - Hub Ø57 – Screw M14 x 1.5 17 HEX								
	501	8.0 x 18	32	5 / 100	C.R.	501 808 007	035 457 571	
	505	8.0 x 18	32	5 / 100	C.R.	505 808 007	035 457 571	
POLO GTI 10/2010 → (Type 6R) PCD 5 / 100 - Hub Ø57 – Screw M14 x 1.5 17 HEX								
	501	8.0 x 18	32	5 / 100	C.R.	501 808 007	035 457 571	
	505	8.0 x 18	32	5 / 100	C.R.	505 808 007	035 457 571	
POLO CROSS 10/2010 → (Type 6R) PCD 5 / 100 - Hub Ø57 – Screw M14 x 1.5 17 HEX								
	501	8.0 x 18	32	5 / 100	C.R.	501 808 007	035 457 571	
	505	8.0 x 18	32	5 / 100	C.R.	505 808 007	035 457 571	
POLO 09/2001 → 10/2009 (Type 9N) PCD 5 / 100 - Hub Ø57 – Screw M14 x 1.5 17 HEX								
	501	8.0 x 18	32	5 / 100	C.R.	501 808 007	035 457 571	
	505	8.0 x 18	32	5 / 100	C.R.	505 808 007	035 457 571	
POLO 09/2004 → 10/2010 (Type 9N) PCD 5 / 100 - Hub Ø57 – Screw M14 x 1.5 17 HEX								
	501	8.0 x 18	32	5 / 100	C.R.	501 808 007	035 457 571	
	505	8.0 x 18	32	5 / 100	C.R.	505 808 007	035 457 571	
POLO CROSS 09/2006 → 10/2010 (Type 9N) PCD 5 / 100 - Hub Ø57 – Screw M14 x 1.5 17 HEX								
	501	8.0 x 18	32	5 / 100	C.R.	501 808 007	035 457 571	
	505	8.0 x 18	32	5 / 100	C.R.	505 808 007	035 457 571	

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

VOLKSWAGEN

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL	KIT CODE	NOTE
SCIROCCO 03/2008→ (Type 13) PCD 5 / 112 - Hub Ø57 – Screw M14 x 1.5 17 HEX								
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 571	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 571	
	521	8.0 x 18	40	5 / 112	C.R.	521 808 002	035 457 571	
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 571	
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 571	
	521	8.5 x 19	40	5 / 112	C.R.	521 859 002	035 457 571	
	501	8.5 x 20	40	5 / 112	C.R.	501 850 002	035 457 571	
	505	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 571	
	521	8.5 x 20	40	5 / 112	C.R.	521 850 002	035 457 571	
SCIROCCO R 03/2010→ (Type 13) PCD 5 / 112 - Hub Ø57 – Screw M14 x 1.5 17 HEX								
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 571	
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 571	
	521	8.5 x 19	40	5 / 112	C.R.	521 859 002	035 457 571	
SHARAN 01/2011→ (Type 7N) PCD 5 / 112 - Hub Ø57 – Screw M14 x 1.5 17 HEX								
	501	8.0 x 18	30	5 / 112	C.R.	501 808 001	035 457 571	
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 571	
	505	8.0 x 18	30	5 / 112	C.R.	505 808 001	035 457 571	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 571	
	521	8.0 x 18	30	5 / 112	C.R.	521 808 001	035 457 571	
	521	8.0 x 18	40	5 / 112	C.R.	521 808 002	035 457 571	
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 571	
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 571	
	521	8.5 x 19	30	5 / 112	C.R.	521 859 001	035 457 571	
SHARAN 01/1995→01/2010 (Type 7M) PCD 5 / 112 - Hub Ø57 – Screw M14 x 1.5 17 HEX								
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 571	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 571	
	521	8.0 x 18	40	5 / 112	C.R.	521 808 002	035 457 571	
TIGUAN 12/2007→ (Type 5N) PCD 5 / 112 - Hub Ø57 – Screw M14 x 1.5 17 HEX								
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 571	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 571	
	521	8.0 x 18	40	5 / 112	C.R.	521 808 002	035 457 571	
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 571	
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 571	
	501	9.5 x 19	40	5 / 112	C.R.	501 959 002	035 457 571	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 571	
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 571	
	505	9.5 x 19	40	5 / 112	C.R.	505 959 002	035 457 571	Rear Axle
	521	8.5 x 19	30	5 / 112	C.R.	521 859 001	035 457 571	
	521	8.5 x 19	40	5 / 112	C.R.	521 859 002	035 457 571	
	365	9.0 x 20	40	5 / 112	C.R.	365 900 002	065 457 571	
	501	8.5 x 20	40	5 / 112	C.R.	501 850 002	035 457 571	
	501	9.0 x 20	30	5 / 112	C.R.	501 900 001	035 457 571	More Aggressive
	503	9.0 x 20	40	5 / 112	C.R.	503 900 002	065 457 571	
	505	8.5 x 20	40	5 / 112	C.R.	505 850 002	035 457 571	
	509	9.0 x 20	35	5 / 112	C.R.	509 900 001	065 457 571	
	521	8.5 x 20	40	5 / 112	C.R.	521 850 002	035 457 571	

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

VOLKSWAGEN

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL	KIT CODE	NOTE
TOUAREG 02/2010→ (Type 7P) PCD 5 / 130 - Hub Ø71.5 – Screw M14 x 1.5 19 HEX								
	501	8.5 x 19	48	5 / 130	71.6	501 859 010	Original	
	389	9.5 x 20	52	5 / 130	71.6	389 950 003	Original	
	503	9.0 x 20	50	5 / 130	71.6	503 900 007	Original	
	503	10.5 x 20	45	5 / 130	71.6	503 150 004	Original	Rear Axle
	509	9.0 x 20	50	5 / 130	71.6	503 900 006	Original	
	365	10.0 x 22	54	5 / 130	71.6	365 102 003	Original	
	389	10.0 x 22	54	5 / 130	71.6	389 102 004	Original	
	503	9.0 x 22	50	5 / 130	71.6	503 902 006	Original	
	503	10.0 x 22	54	5 / 130	71.6	503 102 005	Original	
	509	10.0 x 22	54	5 / 130	71.6	503 102 005	Original	
TOUAREG 09/2002→02/2010 (Type 7L) PCD 5 / 130 - Hub Ø71.5 – Screw M14 x 1.5 19 HEX								
	501	8.5 x 19	48	5 / 130	71.6	501 859 010	Original	
	389	9.5 x 20	52	5 / 130	71.6	389 950 003	Original	
	503	9.0 x 20	50	5 / 130	71.6	503 900 007	Original	
	503	10.5 x 20	45	5 / 130	71.6	503 150 004	Original	Rear Axle
	509	9.0 x 20	50	5 / 130	71.6	503 900 006	Original	
	365	10.0 x 22	54	5 / 130	71.6	365 102 003	Original	
	389	10.0 x 22	54	5 / 130	71.6	389 102 004	Original	
	503	9.0 x 22	50	5 / 130	71.6	503 902 006	Original	
	503	10.0 x 22	54	5 / 130	71.6	503 102 005	Original	
	509	10.0 x 22	54	5 / 130	71.6	503 102 005	Original	
TOURAN 03/2003→ (Type 1T) PCD 5 / 112 - Hub Ø57 – Screw M14 x 1.5 17 HEX								
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 571	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 571	
	521	8.0 x 18	40	5 / 112	C.R.	521 808 002	035 457 571	
TOURAN CROSS 03/2007→ (Type 1T) PCD 5 / 112 - Hub Ø57 – Screw M14 x 1.5 17 HEX								
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 571	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 571	
	521	8.0 x 18	40	5 / 112	C.R.	521 808 002	035 457 571	
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 571	
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 571	
	521	8.5 x 19	40	5 / 112	C.R.	521 859 002	035 457 571	

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.